

Reg. No. :

Name :

Third Semester B.Sc. Degree Examination, March 2022

First Degree Programme under CBCSS

Mathematics

Complementary Course for Physics

MM 1331.1 – MATHEMATICS III – CALCULUS AND LINEAR ALGEBRA

(2018 Admission)

Time : 3 Hours

Max. Marks : 80

SECTION – I

All the ten questions are compulsory. They carry 1 mark each.

1. Define degree of an ODE.
2. What is the auxillary equation of $\frac{d^2y}{dx^2} - 2\frac{dy}{dx} + y = e^x$.
3. Write the general form of Bernoulli's equation.
4. Prove that $\vec{a} = (xy^2 + z)\vec{i} + (x^2y + 2)\vec{j}$ is conservative.
5. State Stoke's theorem.
6. Find the average value of $\sin x$ on $(-\pi, \pi)$.
7. What are the Fourier coefficients of an even function $f(x)$ in the interval $(-l, l)$.

P.T.O.

8. Evaluate $\begin{vmatrix} 1 & -5 & 2 \\ 7 & 3 & 4 \\ 2 & 1 & 5 \end{vmatrix}$.

9. Find the rank of the matrix $\begin{pmatrix} 1 & 1 & 2 \\ 2 & 4 & 6 \\ 3 & 2 & 5 \end{pmatrix}$.

10. Find the trace of the matrix $\begin{pmatrix} 1 & 0 & -1 \\ 2 & -3 & 0 \\ 1 & -3 & 2 \end{pmatrix}$.

SECTION – II

Answer **any eight** questions from among the questions **11 to 22**. These questions carry **2** marks each.

11. Solve $x \frac{dy}{dx} + 3x + y = 0$.

12. Solve $y = px + p^2$

13. Find the complementary function of the equation $\frac{d^2y}{dx^2} + 2\frac{dy}{dx} + y = 4e^{-x}$.

14. Evaluate the line integral $I = \int \vec{a} \cdot d\vec{r}$ where $\vec{a} = (x+y)\vec{i} + (y-x)\vec{j}$ along the parabola $y^2 = x$ from $(1, 1)$ to $(4, 2)$ in the xy -plane.

15. Find the vector area of the surface of the hemisphere $x^2 + y^2 + z^2 = a^2$, $z \geq 0$, by evaluating the line integral $S = \frac{1}{2} \oint_C \vec{r} \times d\vec{r}$ around its perimeter.

16. Define even and odd functions and give examples.

17. What are the Dirichlet conditions for the existence of the Fourier series of a periodic function?

18. Define Fourier transform.

19. Find the direction of the line of intersection of the plane $x - 2y + 3z = 4$ and $2x + y - z = 5$.
20. Show that the functions $1, x, \sin x$ are linearly independent.
21. Find the inverse of the matrix $\begin{pmatrix} 2 & 1 \\ 0 & -3 \end{pmatrix}$.
22. Define symmetric matrix and prove that AA^T is a symmetric matrix for any matrix A .

SECTION - III

Answer **any six** questions from among the following questions **23** to **31**. These questions carry **4** marks each.

23. Solve: $\frac{dy}{dx} = -\frac{2}{y} - \frac{3y}{2x}$.
24. Solve: $\frac{dy}{dx} = (x + y + 1)^2$.
25. Solve $x^2 \frac{d^2y}{dx^2} + x \frac{dy}{dx} - 4y = 0$.
26. The vector field \vec{F} is given by $\vec{F} = 2xz\vec{i} + 2yz^2\vec{j} + (x^2 + 2y^2z - 1)\vec{k}$. Calculate $\nabla \times \vec{F}$ and deduce that \vec{F} can be written $\vec{F} = \nabla \phi$. Determine the form of ϕ .
27. Show that the area of a region R enclosed by a closed curve C is given by $A = \frac{1}{2} \oint_C x dy - y dx = \oint_C x dy = -\oint_C y dx$.
28. Find the Fourier series of the function $f(x) = \begin{cases} 0 & -\pi < x < 0 \\ 1 & 0 < x < \pi \end{cases}$
29. Expand $f(x) = \begin{cases} -1 & -l < x < 0 \\ 1 & 0 < x < l \end{cases}$ as a Fourier series.
30. Use Cramer's rule to solve $2x - z = 2$, $6x + 5y + 3z = 7$; $2x - y = 4$.
31. Find the eigen values and eigen vector of $\begin{pmatrix} 1 & 2 & 2 \\ 2 & 3 & 0 \\ 2 & 0 & 3 \end{pmatrix}$.

SECTION – IV

Answer **any two** questions from among the questions 32 to 35. These questions carry **15** marks each.

32. Use Green's function to solve $\frac{d^2y}{dx^2} + y = \operatorname{cosec} x$ subject to the boundary conditions $y(0) = y\left(\frac{\pi}{2}\right) = 2$.

33. Given the vector field $\vec{a} = y\vec{j} - x\vec{j} + z\vec{k}$, verify Stoke's theorem for the hemispherical surface $x^2 + y^2 + z^2 = a^2$, $z \geq 0$

34. Let $f(x) = \begin{cases} 1 & 0 < x < \frac{1}{2} \\ 0 & \frac{1}{2} < x < 1 \end{cases}$

Find :

- (a) a Fourier sine series
 - (b) a Fourier cosine series
 - (c) a Fourier exponential series, whose period is 1
35. (a) Solve $x - z = 5$, $-2x + 3y = 1$, $x - 3y + 2z = -10$ by the method of finding the inverse of the coefficient matrix.
- (b) Find out whether the given vectors are dependent or independent; if they are dependent find a linearly independent subset.
- $(1, -2, 3), (1, 1, 1), (-2, 1, -4), (3, 0, 5)$